Model COLOR PLUS





Description

With its surface structure that is able to conceal dirt and its blends of different colours, COLOR PLUS is the perfect solution for protecting textile, stone or parquet floors that lie beyond the clean-off zone. COLOR PLUS prevents dirt and moisture from outside the building being brought in.



Cfl-s1





Suitable for stairs



DS (EN 13893) Resistant strength









tant

High



Model COLOR PLUS

Construction	Tufting velour 5/32"
Pile above substrate	100% polyamide
Substrate material	Polyester fleece
Backing material	Heavy coating
Pile weight / fibre weight	850
Total weight (g/m²)	3.450
Overall height (mm)	8
Tuft density/m ²	83.150
Slip resistance	DS (EN 13893)
Certificates	CE conformity EN 14041 (rolls only)
Certificates	CE conformity EN 14041 (rolls only) 90 cm wide (incl. border)
Certificates Supplied as rolls	, , , , , , , , , , , , , , , , , , , ,
	90 cm wide (incl. border)
	90 cm wide (incl. border) 130 cm wide (incl. border)
Supplied as rolls	90 cm wide (incl. border) 130 cm wide (incl. border) 200 cm wide (incl. border)
	90 cm wide (incl. border) 130 cm wide (incl. border) 200 cm wide (incl. border) 60 x 90 cm (incl. border)
Supplied as rolls	90 cm wide (incl. border) 130 cm wide (incl. border) 200 cm wide (incl. border) 60 x 90 cm (incl. border) 90 x 120 cm (incl. border)

Laying	Individual rolls or smaller coverings can be laid loose on any smooth floor. For larger areas, and allowing for on-site conditions, we recommend fixed laying with an adhesive suitable for plasticised PVC.
Cleaning	Dirt removal with powerful brush vacuum cleaner. The spray extraction process is recommended for periodic basic cleaning. Cleaning with plenty of water is absolutely no problem, water temperature should not be above 40°C. Do not use chlorinated hydrocarbon (Tetra).
Brand	emco

Suitable for:
Residential and care homes
medical practice
Offices and administrative buildings
Family home
Hotel
Kindergarten/Nursery
Apartment building
School
Sports hall



Model COLOR PLUS

Colours











